

- BBFFWG

**CAUTION**

This welding goggle does not provide unlimited eye protection. For your own protection read these instructions completely before using this eye protection.

**REQUIREMENTS**

This welding goggle complies with the requirements of the European Directive 89/686/EEC annex II by means of the European Standard EN166 : 2001 "Personal Eye-Protectors - Specifications and pr EN175 : 1997 Equipment for eye and face protection during welding and applied processes"

**MATERIAL DECLARATION**

No parts of the eye-protector which are in contact with the wearer shall be made of materials which are known to cause any skin irritation.

**STORAGE**

When not in use, it is recommended to store the welding goggles in a clean and dry polybag or case for optimum protection.

**DIRECTIONS FOR USE**

This goggle has been designed for your personal safety. It must be worn for the whole duration of exposure to personal hazards. Leave the work area if dizziness or irritation occurs, or if the goggle becomes damaged.

**CLEANING & MAINTENANCE & DISINFECTIONS**

To maintain your goggle in good condition:

- Do not use abrasive materials, clean and rinse in warm soapy water and dry with a soft cloth.
- Any part of the eye-protector which is in contact with the wearer shall be disinfected by alcohol.

**DURATION OF USE**

Inspect for damage regularly. When the frame has become hard and brittle, the safety goggle should be replaced.

**WARNING**

- The product is for eye-protection against moderate impact hazards but it is NOT unbreakable.
- Do not modify or alter the eye-protector.
- Pitted or scratched lens reduce vision and seriously reduce protection and should be immediately replaced.
- Always check with supervisory personnel to ensure you are being given proper protection relative to working conditions, consult relative European Standards.
- Use only EC-certified oculars.
- The materials which may come into contact with the wearer's skin could cause allergic reactions to susceptible individuals.
- If the symbol **F**, **B** and **A** are not common to both ocular and frame then it is the lower level which shall be assigned to the complete eye-protector.
- Toughened mineral filter oculars shall only be used in conjunction with a suitable backing ocular.



This product contains the phthalate DEHP (DOP) which has been identified under the REACH regulation as a Substance of Very High Concern and may be found in a concentration greater than 0.1%. The information should be made available to customers on request to ensure the appropriate safety steps can be taken by the user.

**SITUATION PACKAGING TYPE FOR TRANSPORTATION**

During any transportation eyewear, should be protected from any form of contamination or damage by the use of suitable packaging transportation in a manner that will prevent physical or chemical damage.


**FIELD OF USE**

This welding goggle is designed to protect the user against eye injuries through mechanical impact. The goggle is marked on the ocular and the frame with a series of numbers and symbols to indicate the manufacturer, the field of use, the protection capabilities and performance characteristics of the eye-protector. The marking of the oculars and of the frame are signified as follows:

<b>GOGGLE MARKINGS</b>	
COVER LENS - ref 450C-000 (dimension Ø 50mm x 1.8mm)	
	Identification of the Manufacturer
<b>1</b>	Optical Class
<b>F</b>	Symbol for protection against high speed particles, low energy (45m/s)
<b>CE</b>	Symbol for European Standards
PROTECTIVE LENS - ref 451C-000 (dimension Ø 50mm x 2mm)	
	Identification of the Manufacturer
<b>1</b>	Optical Class
<b>F</b>	Symbol for protection against high speed particles, low energy (45m/s)
<b>CE</b>	Symbol for European Standards

**FILTER**

The used filters must be EC certified and their dimension must be Ø 50mm/2" x 4.25". The scale number must be adapted to the relevant welding process. To know their characteristics of protection, consult the marking and the notice of the filters.

<b>FRAME</b>	
	Identification of the Manufacturer
<b>EN175</b>	Number of the Standard, which the product fulfils
<b>F</b>	Symbol for protection against high speed particles, low energy (45m/s)
<b>CE</b>	Symbol for European Standards

**AUTHORIZED REPRESENTATIVE:**

B-Brand,  
P.O. Box 13636,  
West Bromwich,  
United Kingdom,  
B70 1QB.

**CERTIFICATION**

EC Certificate issued by the notified body No. 0070  
Indtitut National de Recherche et de Securite  
Avenue de Bourgogne / B.P.27, F-54501,  
Vandoeuvre,  
France.